

12 UNITS

32 USERS

2025 TRAIL PACKAGE













Area 1

SGR048W 2-Person Accessible Lat Pull SHP507 2-Person Static Combo SGR105 **Customized Announcement Sign**

Area 2

SGR019 2-Person Incline Sit-Up Bench SGR048AW 2-Person Accessible Chest Press SGR105 **Customized Announcement Sign**

Area 3

SGR042 2-Person Back and Arms Combo SHP510 4-Person Combo Bars SGR105 **Customized Announcement Sign**

Area 4

SGR021 4-Person Lower Body Combo SGR045 2-Person Pull-Up Station SGR105 **Customized Announcement Sign**

Area 5

SGR104 4-Person Leg Press SHP724 Plyometric Steps (Set of 3) SGR105 **Customized Announcement Sign**

Area 6

SGR022 4-Person Pendulum, Abs, & Dip Station SGR043 Parallel Bars

SGR105 **Customized Announcement Sign**

2025 TRAIL PACKAGE



Six mini-clusters with activities for entry-level and advanced users at each

Designed to complement cardio workouts, the 12-unit Trail Package 1 emphasizes upper body and core exercises.











PACKAGE SPECS

UNITS	12
USERS	32
REQUIRED DIMENSIONS	varies

Available options:

- Announcement sign customization layout, text and graphics 100% customizable on both sides
- Shade
- Site amenities





2025 TRAIL PACKAGE

Six mini-clusters with activities for entry-level and advanced users at each



Greenfields Outdoor Fitness | www.greenfieldsfitness.com | 888-315-9037

Greenfields' preferred method of installation is surface mount. In-ground direct bury option is available upon request.

Layout is for presentation purposes only - NOT INTENDED FOR CONSTRUCTION. For more details please contact Greenfields. Due to the height of some of the components in this package, Greenfields recommends the use of fall attenuating surfacing.



2025 TRAIL PACKAGE

Six mini-clusters with activities for entry-level and advanced users at each

12 UNITS

32 USERS




SGR042

2-PERSON ACCESSIBLE LAT PULL


SGR048W

2-PERSON FULL BAR EXERCISE




2-PERSON ACCESSIBLE CHEST PRESS

SGR048AW





















Greenfields Outdoor Fitness | www.greenfieldsfitness.com | 888-315-9037

Greenfields' preferred method of installation is surface mount. In-ground direct bury option is available upon request.

Layout is for presentation purposes only - NOT INTENDED FOR CONSTRUCTION. For more details please contact Greenfields.

Due to the height of some of the components in this package, Greenfields recommends the use of fall attenuating surfacing.



2025 TRAIL PACKAGE

Six mini-clusters with activities for entry-level and advanced users at each

12 UNITS

32 USERS

























UNIT LIST

Area 1 SGR048W 2-Person Accessible Lat Pull SHP507 2-Person Static Combo SGR105 **Customized Announcement Sign** Area 2 SGR019 2-Person Incline Sit-Up Bench SGR048AW 2-Person Accessible Chest Press SGR105 **Customized Announcement Sign** Area 3 SGR042 2-Person Back and Arms Combo SHP510 4-Person Combo Bars SGR105 **Customized Announcement Sign** Area 4 SGR021 4-Person Lower Body Combo 2-Person Pull-Up Station SGR045 **Customized Announcement Sign** SGR105 Area 5 SGR104 4-Person Leg Press Plyometric Steps (Set of 3) SHP724 **Customized Announcement Sign** SGR105 Area 6

These 12 units may serve up to 32 people at a time.

Parallel Bars

SGR022

SGR043

SGR105

Please be advised that the use of DG (Decomposed Granite) increases the normal wear & tear of all footrests and other platforms used by the users.

4-Person Pendulum, Abs, & Dip Station

Customized Announcement Sign





ENHANCE YOUR PACKAGE!

Greenfields offers these products and more for the best user experience







Unit labels feature safety guidelines, exercise instructions and more!

User Guidelines

his fitness equipment is designed for you joyment. For your safety, we ask you to mply with the following:

his apparatus. Parents / Guardians: Do not let your underag

this exercise equipment.

Consult a physician prior to starting any physical fitness training program. Potential users with known adverse health conditions should not use this equipment. Before using the equipment, check for loose parts, breaks, cracks or other conditions needing attention.

Perform exercises according to instructions on each piece of the equipment.

Perform exercises according to instructions on each piece of the equipment.

Breathe normally during physical activity.

Perform resistance exercises according to instructions in a slow, controlled manner over the full range of motion.

Performing the movements too quickly may result in an injury. Use the equipment only with your capabilities.

Pay attention to how your body feels. In the event that pain or disconfront occurs, STOP THE EXERCISE

IMMEDIATELY and consult your physician.

2-Person Accessible Lat Pull SGR048W

Strengthens back muscles, shoulders, and arm muscles

(With wheelchair) Maneuver chair so back and bottom of seat are close to but not touching unit. Lock wheels. (Without wheelchair) Sit on seat with

back against back rest and feet on footpegs. Grip handles and pull towards shoulders. Hold and









Keep fingers, toes, and hair or other non-participant body parts away from equipment elements during exercise.

I. Keep a safe distance from exercise equipment when in use by others.


Freenfields Outdoor Fitness, Inc. shall not be able for any personal injury to any person esulting from the use of this exercise



This announcement board can be used to:

- State safety guidelines
- Acknowledge project donors/sponsors
- Encourage healthy lifestyle choices
- Provide sample workouts

Customization available at no charge (text, logos, etc.)











THE GREENFIELDS OUTDOOR FITNESS APP

The Greenfields App is the perfect companion to our multigenerational outdoor gyms, giving users the ability to search for gyms near their location, explore exercises available on Greenfields units, create workouts, and log their progress.

Now available on iOS and Android.




greenfieldsfitness.com/app-download/

EXPLORE

Search for gyms near you.





WORKOUT





SCAN

Quickly find videos & more.







General Installation Instructions:

Surface Mount



The following information for contractors, maintenance personnel and supervisory staff will help ensure an accurate, safe and problem-free

Questions? Please call 888-315-9037 x105

installation. UNITS ARE HEAVY (up to 450 lbs.) When unloading and handling, please exercise extra care to prevent injury or damage to the equipment. For installation, epoxy is **not** included in shipment and must be provided by installer.



Video Demo: http://www.greenfieldsfitness.com/surface-mount-installation/

Tools Needed: Concrete pad must be fully cured before anchoring begins.

- 1. Concrete drill
- 2. 1/2" carbide tipped drillbit
- 3. Angle grinder
- 4. Compressor with blow tip


Basic Installation Guidelines:

- 5. Sledge hammer
- 6. 3/4" socket
- 7. Torque wrench

Parts Included:

Wedge Anchors - 4 1/2" x 1/2"







Specifications:

- Concrete: 3250 PSI (minimum)
- Aggregate mix: 1:3 3/8" to 3/4" Concrete mix: 1:3:2.5 concrete, aggregate, and sand mix
- #3 rebar with 12" spacing When pouring a single pad for multiple units, use concrete
- thickness 6" When pouring standalone pads, concrete thickness minimum 8"
- Bolt Size: 1/2"
- Bolt Length: 4-1/2" (minimum)
- Hardware: Wedge Anchor Stainless Steel
- Minimum embed depth: 3-1/2"



drill. Drill to a depth of 5-6" deep.


1. Place unit on concrete pad and mark holes. Mark all holes. Make a mark on the unit and the ground to make sure unit lines up with holes.



3. Using compressor or blower, blow out concrete dust from holes.



4. Fill holes with epoxy, making sure not to overfill. (Epoxy is not included in shipment and must be provided by installer).



In order to honor our commitment to quality and safety, Greenfields Outdoor Fitness reserves the right to make changes and revise the design specifications without notice. © 2020 Greenfields Outdoor Fitness, Inc. LU21x03x24

General Installation Instructions:

Surface Mount



Questions? Please call 888-315-9037 x105

The following information for contractors, maintenance personnel and supervisory staff will help ensure an accurate, safe and problem-free installation.

Basic Installation Guidelines (cont'd)



- Place unit over holes and make sure it lines up with mark.
- Thread nuts onto anchors just until they are flush with the top of the anchors.
- Hammer anchors into holes.
- Install shims to plumb posts.
- Tighten anchors until snug, and wait 24 hours to tighten to 80-90ft/lbs.
- 10. Cut off extra bolt length, if any.
- 11. Follow unit-specific installation instructions for installation of base plate covers and black caps.











SURFACE MOUNT WITH PIP DRAINAGE OPTIONS












French Drain #1




Curb Cutouts



PIP Wrap-Around



French Drain #2





Inspection Checklist General Guidelines for Outdoor Fitness Equipment



Questions? Please call 888-315-9037 x105

Inspection process	
Visual Inspection	Documentation
☐ Internal Inspection	☐ Reporting
Visual Inspection	
Check all plastic footrests, backres manner, take photos and contact G	ts, seats, etc. for any cracks. If items are cracked in an unsafe Greenfields to order new pieces.
Check all rubber grips for any signs	s of wear, and make sure they are functioning correctly. If grips rs, take photos and report to Greenfields.
	r. If there is any damage, take photos and report to Greenfields.
	signs of wear or vandalism, and send photos if there is.
☐ If unsafe for public use, please wra maintenance is in progress.	p portion of that unit with a caution-tape to prevent use while
Internal Inspection	
	ull, uninhibited functionality. If units are making noises when
in use, do NOT lubricate the bearin Greenfields for review.	gs. Check for any metal on metal contact and send photos to
tighten or install new screws using	quipment is fully tightened. If screws are loose or missing, a thread-locking compound. If new screws are needed, take ded and contact Greenfields to order new screws.
	p portion of that unit with caution tape to prevent use while
maintenance is in progress.	
Documentation	
by the unsupervised masses in put subject to improper use or even ab	oviding amazing outdoor fitness gyms that are intended for use olic settings. We do realize that left unattended, units may be use. We rely on the local maintenance staff to provide the all units and parts in optimal operating condition for years to
☐ Please use the inspection log provi	ided.
Reporting	
Greenfields Customer Support Cer	nter is available to help with all inquiries. Please feel free to
	Fitness.com or 888-315-9037 x 105
Please be sure to include photos a person with whom to communicate	nd name of the park, city, state, country and on-site contact
person with whom to communicate	
n order to honor our commitment to quality and safety, Greenfields Outo	door Fitness reserves the right to make changes and revise the design specifications without notice. © 2022 Greenfields Outdoor Fitness, Inc.

Safety/Maintenance Inspection Log



Date	Location	Unit(s)	Describe Issue/ Action Taken	Name	Follow-up



WARRANTY

- Limited 10-year warranty on main post and metal structure
- Limited 5-year warranty on moving parts and bearings
- Limited 5-year warranty on seats and backrests
- Limited 3-year warranty on hydraulic pistons
- Limited 2-year warranty on footrests, armrests, rubber parts, and chains
- Limited 1-year warranty on battle ropes, climbing ropes, and suspension trainers

All warranties cover failure due to natural deterioration or manufacturing defects and do not include any cosmetic issues or wear and tear from normal use. This warranty does not cover cosmetic items such as scratches, dents, marring, fading, discoloring, weathering, wear and tear, or normal level of rusting. Warranty is valid only if the equipment is installed and maintained in conformity with Greenfields' installation and maintenance procedures furnished by Greenfields Outdoor Fitness. Equipment should not be exposed to any irrigation, especially with reclaimed water, as this will void the warranty. Equipment must be installed on a surface with proper drainage and or slope to prevent water buildup around the base of the equipment. Equipment should not be installed in basins or in low-lying areas which result in equipment being submerged. Equipment should be installed in a timely fashion after delivery; however if the equipment must be stored for an extended period of time, crates should be stored in a dry, indoor environment.

OTHER PRODUCT INFORMATION

Greenfields will continue to develop its line of products and therefore reserves the right to change the design specifications without notice. The equipment is designed for use by individuals weighing up to 300 pounds. The equipment is NOT intended to be used by individuals younger than 14 years of age unless supervised by adults. Greenfields' units are designed to accommodate the majority of users age 14 and above; however, due to the nature of outdoor fitness equipment, units are regarded as "one size fits most, but not all."

CUSTOMER SUPPORT

Upon written notification (email or fax) to Greenfields of a product's failure to conform to any of the aforementioned warranties during the applicable warranty period, Greenfields shall correct such failure/ nonconformity by repairing the defective part(s) or providing replacement part(s) within 60 calendar days of receipt of the notification. Greenfields shall ship the required replacement part(s) to the site free of charge, but will not be responsible for providing labor or the cost of labor for removing defective part(s) or installing replacement part(s). Greenfields will warranty the replacement part(s) for the remainder of the original warranty period. Furthermore, no representation, oral or written, of any

individual may be substituted for this exclusive limited warranty. To the extent permitted by law, Greenfields shall not be liable for any direct, indirect, special, incidental or consequential damages, which are expressly excluded from the sale of its product. To make claims under the terms of this warranty, please contact Greenfields' Customer Support Center at CSC@GreenfieldsFitness.com. Please include photos or video.

INSTALLATION

Greenfields' equipment is constructed from heavy steel pipes and is subject to heavy forces and torques when in use as intended. Extra care must be taken to ensure that the equipment is securely installed so that it can be safely enjoyed for years to come.

There are two methods of installation for the equipment:

- Surface mount installation with posts bolted to a reinforced concrete slab a minimum of 6"-8" thick (please refer to Installation Instructions & Video for detailed guidelines)
- Permanent in-ground installation in which the equipment post extensions are placed in concrete footings and use provided rebar pegs (please refer to Installation Instructions & Video for detailed guidelines)
 Installers and project managers are encouraged to contact Greenfields'
 Customer Support Center with any questions before and/or after installation. Detailed installations instructions are available for all products and are included in the Operations & Maintenance (O&M)
 Owner's Manuals which are shipped with every order.
 Often the installation of Greenfields products is assigned to the lowest bidding contractor. The contractor may not have been in contact with Greenfields prior to the project or seen the detailed Installation Instructions. It is the responsibility of the project manager to ensure

Should the project installer need a copy of the Installation Instructions, please contact Greenfields' Customer Support Center at 888-315-9037 x105 or by email at CSC@GreenfieldsFitness.com.

Installation Instructions & Installation Video to ensure the validity of the

installing contractor is provided with the most updated set of Greenfields'

SAFETY STANDARDS

warrantv.

This adult outdoor fitness equipment is not intended for use by unsupervised individuals younger than 14 years of age.

ASTM recently adopted ASTM F3101–15 Standard Specification for Unsupervised Public Use Outdoor Fitness Equipment.

While playgrounds are subject to laws in various states requiring compliance with ASTM and/or Consumer Product Safety Commission (CPSC) guidelines, at time of this publication, and to the best knowledge of the author, there are no state laws requiring compliance with standards set forth by ASTM for outdoor fitness equipment (nor with

CPSC guidelines, as none currently exist.) Play equipment can be certified to be in compliance with ASTM by the International Playground Equipment Manufacturers Association (IPEMA), and many agencies have a requirement that they only purchase equipment that is IPEMA certified. However, at this time, this is not possible with outdoor fitness equipment, as IPEMA does not currently certify compliance of outdoor fitness equipment. In addition, at this time there are no programs in place to train certified inspectors for outdoor fitness equipment. Without a state law that requires compliance, specifications are voluntary only. However, Greenfields Outdoor Fitness strives to comply with all of the voluntary specifications of ASTM F3101-15. Greenfields recommends adding a customized sign to each project to limit liability.

SURFACING MATERIALS

Over the years, Greenfields' product has been installed using the following types of surfacing: decomposed granite (aka DG or crushed granite), concrete, bonded rubber or poured-in-place surfacing, rubber tiles, asphalt, paver stones, and synthetic grass. Mulch, woodchips, beach sand, and sod have also been used but are not recommended with respect to wheelchair access. The type of surfacing used is ultimately the choice of the owner and their project manager. When it comes to Greenfields Functional Fitness Series, it is advised to use fall attenuating surfacing.

MAINTENANCE & EQUIPMENT UP KEEP

Greenfields Outdoor Fitness equipment is intended to be used by the unsupervised public in a variety of outdoor settings. Greenfields is extremely proud of the safe and durable design of its products, which are built to surpass their warranty under normal usage. Installations throughout the hemisphere prove this equipment's success in both hot and cold climates, as well as dry and humid conditions. While the units are designed to require, for the most part, little to no maintenance, Greenfields recognizes that heavy and constant usage will require a minimal level of maintenance which will be scheduled based on the specific nature of each project.

Installation on an ocean front, or with a direct line of sight to the ocean, will expose the units to salt and will require additional maintenance which is not required at inland sites or in dry climates. Such installations will require a regular fresh water rinse to remove the salt from the units (do not use reclaimed water - exposing the equipment to reclaimed water will void warranty). Greenfields recommends periodic inspection by a maintenance team to ensure each and every apparatus functions as intended. Please refer to the Periodic Inspection Checklist provided with the O&M Owner's Manuals.